

Publication

-Riazi-rad F, **Ajdary S**, Omranipour R, Alimohammadian MH, Hassan Z. Comparative analysis of CD4+ and CD8+ T cells in tumor tissues, lymph nodes and the peripheral blood from patients with breast cancer. *IBJ* 2014 *in press*

- Bahrami F, Darabi H, Riazi-rad F, Khaze V, **Ajdary S**, Alimohammadian MH. FOXP3 expression and frequency of regulatory T cells in healed individuals from *Leishmania major* infection and the asymptomatic cases. *Human Immunology* 2014; 75: 1026–1033

-Keihani A, Riazi-Rad F, Pakzad SR, **Ajdary S**. Human polymorphonuclear leukocytes produce cytokines in response to *Leishmania major* promastigotes. 2014; APMIS. DOI 10.1111/apm.12252

-Rafiee A, Riazi-rad F, Darabi H, Khaze V, Javadian S, **Ajdary S**, Bahrami F, Alimohammadian MH. Ferroportin-encapsulated nanoparticles reduce infection and improve immunity in mice infected with *Leishmania major*. *Int J Pharmaceutics* 2014;466:375–381

- Ebrahimpoor S, Pakzad SR, Mohasel Hamedani F, **Ajdary S**. Western Blot Analysis of Sera from *Leishmania major*-Infected BALB/c and C57BL/6 Mice. *J Med Microbiol Infec Dis* 2013, 1: 14-21

- Ebrahimpoor S, Pakzad SR, **Ajdary S**. IgG1 and IgG2a profile of serum antibodies to *Leishmania major* amastigote in BALB/c and C57bl/6 mice. *Iran J Allergy Asthma Immunol*

2013; 12(4):361-367

- Alijani E, Pourfathollah AA, **Ajdary S**, Sharifi-Mood B, Zavarzan-Hosseini A, Khaze-Shahgoli V. Agreement of IFN-gamma release assay and skin test in diagnosis of latent tuberculosis infection Arak Medical University Journal (AMUJ) Original Article 2013; 16(71): 59-70

- Asadpour A, Riazi-Rad F, Khaze V, **Ajdary S**, Alimohammadian MH. Distinct strains of *Leishmania major* induce different cytokine mRNA expression in draining lymph node of BALB/c mice. *Parasite Immunol.* 2013 Jan;35(1):42-50. doi: 10.1111/pim.12018.

- Ghazanfari T, Kariminia A, Yaraee R, Faghihzadeh S, K. Ardestani S, Ebtekar M, Mostafaie A, Foroutan A, Rezaei A, Shams J, Mahmoudi M, Vaez-Mahdavi MR, Soroush MR, Jalali-Nadoushan MR, Moaiedmohseni S, **Ajdary S**, Darabi H, Naghizadeh M, Kazemi H, Hassan Z. Long term impact of sulfur mustard exposure on peripheral blood mononuclear subpopulations — Sardasht-Iran Cohort Study (SICS). *Int Immunopharmacol* (2013), Nov;17(3):931-5. doi: 10.1016/j.intimp.

- Safavi M, Esmati N, Ardestani SK, Emami S, **Ajdari S**, Davoodi J, Shafiee A, Foroumadi A. Halogenated flavanones as potential apoptosis-inducing agents: Synthesis and biological activity evaluation. *Eur J Med Chem.* 2012; 58:573-80. doi: 10.1016/j.ejmech.2012.07.036
- Ardestani SK, Poorjab F, Razmi S, Foroumadi A, **Ajdary S**, Gharegozlou B, Behrouzi-Fardmoghadam M, Shafiee A. Cell death features induced in Leishmania major by 1,3,4-thiadiazole derivatives. *Exp Parasitol.* 2012 Oct;132(2):116-22. doi: 10.1016/j.exppara.2012.08.016
- Alimohammadian MH, Jones SL, Darabi H, Riazirad F, **Ajdary S**, Shabani A, Rezaee MA, Mohebali M, Hosseini Z, Modabber F. Assessment of Interferon-g Levels and Leishmanin Skin Test Results in Persons Recovered for Leishmaniasis. *Am J Trop Med Hyg* 2012; 87:70-5
- Mahmoodzadeh-Niknam H, **Ajdary S**, Riazi-Rad F, et al. Molecular epidemiology of cutaneous leishmaniasis and heterogeneity of Leishmania major strains in Iran. *Trop Med Int Health* 2012; 17:1355-44
- Rafiee A, Fatemi SM, Jamili S, **Ajdari S**, Riazi-rad F, Memarnejadian A, limohammadian MH. Cloning, Expression and Characterization of Zebra Fish Ferroportin in Hek 293T Cell Line. *Iranian J Publ Health* 2012; 41: 79-86
- **Ajdary S**, Ghamilouie MM, Alimohammadian MH, Riazi-Rad F, Pakzad SR. Toll-like receptor 4 polymorphisms predispose to cutaneous leishmaniasis *Microb Infec* 2011 13:226-231
- Karimzadeh H, **Ajdary S**, Jazayeri SM, Pakzad SR. Validation of an in-vitro method for hepatitis B vaccinepotency assay: specification setting *Panminerva Med* 2010; 52: 177-82
- **Ajdary S**, Ghamilouie MM, Alimohammadian MH, Hosseini M, Pakzad SR. Lack of association of Toll-like receptor 2 Arg753Gln with cutaneous leishmaniasis. *Parasit Int.* 2010; 59:466-68
- Ataee R, **Ajdary S**, Zarrindast M, Rezayat M, Hayatbakhsh MR Anti-mitogenic and apoptotic effects of 5-HT1B receptor antagonist on HT29 colorectal cancer cell line .*J Cancer Res Clin Oncol.* 2010 136:1461-69
- Alimohammadian MH, Darabi H, **Ajdary S**, Khaze V, Torkabadi E. Genotypically distinct strains of Leishmania major display diverse clinical and immunological patterns in Balb/c mice. *Infec Genet Evol* 2010 10:969-975
- Ataee R, **Ajdary S**, Zarrindast MR, Rezayat M, Shokrgozar MA, Ataee A. Y25130 hydrochloride, a selective 5HT3 receptor antagonist has potent antimitogenic and apoptotic effect on HT29 colorectal cancer cell line. *Eur J Canc Prev Eur J Canc Prev* 2010;19:138-143
- Ataee R, **Ajdary S**, Rezayat M , Shokrgozar M, Shahryari Sh, Zarrindast M Study of 5HT3 and 5HT4 Receptors Expression in HT29 Cell Line and Human Colon Adenocarcinoma Tissues . *Arch Iran Med* 2010;13:1-7
- Karimzadeh H.b, Pakzad SR. Mahmoudi M. **Ajdary S**. Norouzi M. Akbari M. Daram M. Jazayeri S M. Set up of analytical methods for evaluation of specifications of recombinant Hepatitis- B vaccine. *Teh Unive Med J* 2009;67: 159-167
- **Ajdary S**, Riazi-Rad F, Alimohammadian MH, Pakzad SR, Immune response to Leishmania antigen in anthroponotic cutaneous leishmaniasis *J infec* 2009; 59: 139-43
- Tooba Ghazanfari, Soghrat Faghihzadeh, ...**Soheila Ajdary**, et al. Sardash t-Iran Cohort Study of Chemical Warfare Victims: Design and Methods

Arch Iranian Med 2009;12:5-14

- Dobakhti F, **Ajdary S**, Taghikhani M, Naghibi T, Rafiei Sh, Rafiee-Tehrani M. Adjuvanticity effect of sodium alginate on subcutaneously injected BCG in BALB/c mice. *Microbiol Immunol*, 2009;11:296-301
- Sadeghi G, Khaksar AS, Bassiri Jahromi Sh, Amirkhani A, Eslamifar A, **Ajdary S**, et al. Fungistatic effects of optical brightner 220 against Trichophyton tonsurans, aspergillus fumigates and candida albicans. *J Dermatol Treat*, 2009; 20:120-23
- Rahimifard N, Shoeibi SH, Pakzad S.R., **Ajdary S**, Pirali Hamedani M, Hajimehdipoor H, Adib N, et al. Mutagenicity and carcinogenicity of 4 natural food flavor and preservative in food, cosmetic and sanitary industries. *Biosci Biotech Res Asia*, 2008; 5:639-40
- Rahimifard N, Shoeibi SH, Pakzad S.R., **Ajdary S**, Pirali Hamedani M, Saadati SH, Noori Z, Maleknejad P. Detection of *Staphylococcus aureus* Enterotoxins (SES) in Food stuffs by ELISA J Pure and App Microbiol, 2008; 2: 531-32
- Rahimifard N, Shoeibi SH, Sabzevari O, Pakzad S.R., **Ajdary S**, Pirali Hamedani M,

Hajimehdipoor H, Bagheri F, Esmaeli B. Antifungal Activity of the Native Essential oil of *Thymus vulgaris* on *Candida albicans*, *Aspergillus niger* and *Aspergillus flavus* from Iran J Pure and App Microbiol, 2008. 2: 343-346

- Rahimifard N, Sabzevari O, Shoeibi SH, Pakzad SR, **Ajdary S**, Hajimehdipoor H, Bagheri F, Safaei M. Antifungal activity of the essential oil of Eugenia caryophyllata on Candida albicans, Aspergillus niger and Aspergillus flavous. *Biomed Pharmacol J* 2008; 1:43-45
- Rahimifard N, Sabzevari O, Shoeibi SH, Pakzad SR, **Ajdary S**, Haghghi S, Bagheri F, Sabzikaran M. Antifungal activity of the native essential oil of Zataria multiflora on Candida albicans, Aspergillus niger and Aspergillus flavous. *Biomed Pharmacol J* 2008; 1:289-92
- Rahimifard N, Sabzevari O, Shoeibi SH, Pakzad SR, **Ajdary S**, Hajimehdipoor H, Bagheri F, Safaei Antifungal activity of the essential oil of cinamomum zeynalicum on Candida albicans, Aspergillus niger and Aspergillus flavous. *Biomed Pharmacol J* 2008; 1:85-88
- Oloomi M, Bouzari S, **Ajdary S**. Immune responses of mice immunized with active recombinant shigatoxin and its derivatives. *Iran J Allergy Asthma Immunol* 2008;7:53-60
- Jafari-Shakib R, **Ajdary S**, Mohtasham Amiri Z, Mohammadi AM, Nourijelyani K, Mortazavi H, Shokrgozar MA, Nikbin B, Khamesipour A. CD26 expression on CD4+ T cells in patients with cutaneous leishmaniasis. *Clin Exp Immunol* 2008; 153:31-36
- Alimohammadian MH, Darabi H, Malekzadeh Sh, Mahmoodzadeh-Niknam H, **Ajdary S**, Khamesipour A, and Molarah A. Exposure to leishmania major modulates the proportion of CD4 cells without affective cellular immune response. *Microbiol Immunol* 2007; 51:1003-1011
- **Ajdary S**, Dobakhti F, Taghikhani M, Riazi-Rad F, Rafiei Sh, Rafiee-Tehrani M. Oral administration of BCG encapsulated in alginate microspheres induces strong Th1 response in BALB/c mice *Vaccine* 2007; 25:4595-4601
- **Ajdary S**, Jafari-Shakib R, Riazi-Rad F, Khamesipour A, Soluble CD26/CD30 levels in patients with anthroponotic cutaneous leishmaniasis *J Infec* 2007; 55:75-78
- Dobahkati F, Rahimi F, Taghikhani M, **Ajdary S**, Dehpour AR, Rafiei Sh, Rafiee-Tehrani M. Stabilizing effects of calcium alginate microspheres on mycobacterium bovis BCG intended for oral vaccination. *J Microencapsulation* 2006; 23:844-854
- Dobakhti F, **Ajdary S**, Taghikhani M, Rafiei Sh, Bayati Kh, Rafiee-Tehrani M. Immune response following oral immunization with BCG encapsulated in alginate microspheres *Iran J Immuno* 2006; 3:114-120

- **Ajdary S**, Riazi-Rad F, Jafari-Shakib R, Mohebali M, Soluble CD26/CD30 levels in visceral leishmaniasis : markers of disease activity. *Clin Exp Immunol* 2006; 145:44-47
- Pakzad SR, **Ajdary S**, Moazami N, and Haghghi S. A Novel method to detect B-Cyclodextrin glucosyl Transferase activity on polyacrylamide gels *Iranian Biomedical Journal* 2005; 9:87-91
- Farajnia S, Mahboudi F, **Ajdary S**, Reiner N.E, Kariminia A, and Alimohammadian M.H, Mononuclear cells from patients recovered from cutaneous leishmaniasis respond to leishmania major amastigote class I nuclease with a predominant Th1-like response. *Clin Exp Immunol* 2005; 139:498-505
- Farajnia S, Alimohammadian MH, Reiner NE, Karimi M, **Ajdary S**, Mahboudi F, Molecular characterization of a novel amastigote stage specific class I nuclease from leishmania major. *Int J Parasitol* 2004; 34:899-908
- Tashakori M, **Ajdary S**, Kariminia A, Mahboudi F, and Alimohammadian MH, Characterization of leishmania Species and L.major strains in different endemic areas of cutaneous leishmaniasis in Iran. *Iranian Biomedical Journal* 2003;7:43-50
- Alimohammadian MH, Darabi H, Kariminia A, Rivier D, Bovay Ph, Mauel J, **Ajdary S**, Kharazmi A, Adjuvant effect of leishmania major promastigotes on the immune response of mice to ovalbumin *Iranian Biomedical Journal* 2002; 6:123-128
- **Ajdary S**, Hamidpoor L, and Zandieh T, Function of neutrophils in different phases of chronic myelogenous leukemia *Iranian Biomedical Journal* 2002; 6:83-88
- Khalili Gh, Partovi F, and **Ajdary S**, Immunodiagnosis of human fascioliasis by ELISA using excretory-secretory products as antigen *Iranian J Med Sci* 2001; 26:127-132
- **Ajdary S**, Alimohammadian MH, Eslami MB, Kemp K, and Kharazmi A, Comparison of the immune profile of non-healing cutaneous leishmaniasis patients with those with active lesion and those recovered from infection. *Infection and Immunity* 2000; 68(4) 1760-64
- **Ajdary S**, Eslami MB, Pakzad SR, and Alimohammadian MH Cytokine production pattern by different subtypes of T cells in cutaneous leishmaniasis *Iranian J Med Sci* 1999; 24:1-7
- **Ajdary S**, Hosseini SMH, and Alimohammadian MH, Effect of IL-1 on cutaneous leishmaniasis in BALB/c mice *Microbiol Immunol* 1997; 41:281-83